

2014 brutto ceník základního sortimentu



D71 118 616		DN 15	DN 20	DN 25	DN 32	DN 40	DN 50	DN 65	DN 80	DN 100	DN 125	DN 150
filtr přírubový	ceníková	307	387	440	507	640	680	1027	1327	1807	2640	3707
Těleso: GJL-250												
Síť: 1.4301		DN 200	DN 250	DN 300								
Tmax 200°C	ceníková	7173	11893	19400								
PN 16												



L10 177 616 "C" klapka zpětná- mezipřírubová Těleso: GJL-250 Talíř: CF8M sedlo: EPDM Tmax 110°C,PN 16		DN 50	DN 65	DN 80	DN 100	DN 125	DN 150	DN 200	DN 250
	ceníková	393	500	680	893	1160	1613	2613	4473




L10 117 616 klapka zpětná– přírubová Těleso: GG25 Sedlo: Mosaz Tmax 200°C,PN16		DN40	DN 50	DN 65	DN 80	DN 100	DN 125	DN 150	DN 200
	ceníková	1173	1293	1667	1967	2920	3707	4613	8480



S15 111 616		DN 50	DN 65	DN 80	DN 100	DN 125	DN 150
šoupě víkové	ceníková	1680	2467	2973	3400	4807	6120
Těleso: GG25							
Sedlo: Mosaz							
Tmax 200°C							
PN 16							



M80 010 916		DN40	DN 50	DN 65	DN 80	DN 100	DN 125	DN 150	DN 200	DN250	DN 300
kompenzátor pryžový	ceníková	332	428	509	684	823	1089	1469	2024	3025	3896
přírubový											
Těleso: EPDM+nylon											
Příruby: ocel+Zn											
Tmax 105°C, PN16											



ART 77		DN 20	DN 25	DN 32	DN 40	DN 50	DN 65	DN 80	DN 100	DN 125	DN 150
kulový kohout–přírubový	ceníková	493	544	724	949	1104	1633	2001	3016	5752	7147
Těleso: GJL–250											
Koule: nerez SS420											
Sedlo: PTFE											
		od.15.4.2014									
Tmax 150°C,PN 16											

od.15.4.2014

2014 brutto ceník základního sortimentu



L32.5 171 616

uzavírací klapka
mezipřrubová
Těleso: GJL-250
Taliř: GGG40+Ni
Sedlo: EPDM
Tmax 120°C
PN 6-16

	DN40	DN 50	DN 65	DN 80	DN 100	DN 125	DN 150	DN 200	DN250	DN 300
ceníková	393	440	493	540	707	947	1087	1580	2480	3480



L36.5 171 616

uzavírací klapka
mezipřrubová
Těleso: GJL-250
Taliř: nerez SS304
Sedlo: EPDM
Tmax 120°C
PN 6-16

	DN40	DN 50	DN 65	DN 80	DN 100	DN 125	DN 150	DN 200	DN250	DN 300
ceníková	427	467	540	633	867	1147	1413	2187	3667	5400



L36.5 172 610

uzavírací klapka
mezipřrubová s převodem
Těleso: GJL-250
Taliř: nerez SS304
Sedlo: EPDM
Tmax 120°C
PN 10

	DN 350	DN 400	DN 500
ceníková	7600	12440	20867



Šnekový převod

pro ruční klapku
Těleso: GGG40
Kolo: ocel

cena včetně montáže

	DN40	DN 50	DN 65	DN 80	DN 100	DN 125	DN 150	DN 200	DN250	DN 300
ceníková	680	680	680	680	680	680	680	1047	1047	1347



V30 111 616

ventil uzavírací přrubový

Těleso: GJL-250
Sedlo: 13Cr
Tmax 200°C, PN 16

	DN 15	DN 20	DN 25	DN 32	DN 40	DN 50	DN 65	DN 80	DN 100	DN 125	DN 150
ceníková	460	500	553	773	925	1241	1705	2197	3048	4413	5995
	DN 200										
ceníková	9715										



V25 111 616

ventil uzavírací s vlnovcem –
přrubový
Těleso: GJL-250
Sedlo: 13Cr
Vlnovec: SS304
Tmax 200°C, PN 16

	DN 15	DN 20	DN 25	DN 32	DN 40	DN 50	DN 65	DN 80	DN 100
ceníková	1100	1153	1367	1627	1847	2180	2633	3773	4827

2014 brutto ceník základního sortimentu



V30 111 540		DN 15	DN 20	DN 25	DN 32	DN 40	DN 50	DN 65	DN 80	DN 100	DN 125	DN 150
ventil uzavírací přírubový	ceníková	888	1024	1195	1400	1913	2287	3320	4200	4527	8887	12240
Těleso: 1.0619		DN 200										
Sedlo: 13Cr	ceníková	21880										
Tmax 400°C, PN 40												



V25 111 540		DN 15	DN 20	DN 25	DN 32	DN 40	DN 50	DN 65	DN 80	DN 100	DN 125	DN 150
ventil uzavírací s vlnovcem – přírubový	ceníková	1440	1560	1640	1987	2307	2653	3667	5020	7260	10933	14400
Těleso: 1.0619												
Sedlo: 13Cr												
Vlnovec: SS304												
Tmax 400°C, PN 40												



D71 118 540		DN 15	DN 20	DN 25	DN 32	DN 40	DN 50	DN 65	DN 80	DN 100	DN 125	DN 150
filtr přírubový	ceníková	820	893	1013	1240	1560	2647	2907	3593	5313	8200	10920
Těleso: 1.0619												
Síto: SS304		DN 200										
Tmax 400°C	ceníková	19733										
PN 40												



C09 402 040		DN 15	DN 20	DN 25	DN 32	DN 40	DN 50	DN 65	DN 80	DN 100
ventil zpětný – mezipřírubový	ceníková	267	320	413	560	720	980	1467	1980	3007
Těleso: CF8M										
Tmax 400°C										
PN 6–40										

2014 brutto ceník základního sortimentu



Příruba krková			DN 15	DN 20	DN 25	DN 32	DN 40	DN 50	DN 65	DN 80	DN 100	DN 100	DN 125
PN 6		připojení	21,3	26,9	33,7	42,4	48,3	60,3	76,1	88,9	108	114,3	133
EN 1092-1 typ 11/B1		ceníková	44	50	54	62	76	79	98	137	156	156	229
alt. DIN 2631													
Materiál: C22.8/ P250GH													
		připojení	DN 125	DN 150	DN 150	DN 200	DN 250	DN 300	DN 350	DN 400	DN 450	DN 500	
			139,7	159	168,3	219,1	273	323,9	355,6	406,4	457	508	
		ceníková	229	263	263	447	796	1219	1524	2135	2465	2900	



Příruba krková			DN 200	DN 250	DN 300	DN 350	DN 400	DN 450	DN 500				
PN 10		připojení	219,1	273	323,9	355,6	406,4	457	508				
EN 1092-1 typ 11/B1		ceníková	700	965	1366	1712	2529	3200	3506				
alt. DIN 2632													
Materiál: C22.8/ P250GH													



Příruba krková			DN 15	DN 20	DN 25	DN 32	DN 40	DN 50	DN 65	DN 80	DN 100	DN 100	DN 125
PN 16		připojení	21,3	26,9	33,7	42,4	48,3	60,3	76,1	88,9	108	114,3	133
EN 1092-1 typ 11/B1		ceníková	45	52	64	85	95	119	149	184	214	214	295
alt. DIN 2633													
Materiál: C22.8/ P250GH													
		připojení	DN 125	DN 150	DN 150	DN 200	DN 250	DN 300	DN 350	DN 400	DN 450	DN 500	
			139,7	159	168,3	219,1	273	323,9	355,6	406,4	457	508	
		ceníková	295	376	376	552	1028	1211	2059	2588	3335	4306	



Příruba krková			DN 200	DN 250	DN 300								
PN 25		připojení	219,1	273	323,9								
EN 1092-1 typ 11/B1		ceníková	1100	1894	2882								
alt. DIN 2634													
Materiál: C22.8/ P250GH													



Příruba krková			DN 15	DN 20	DN 25	DN 32	DN 40	DN 50	DN 65	DN 80	DN 100	DN 100	DN 125
PN 40		připojení	21,3	26,9	33,7	42,4	48,3	60,3	76,1	88,9	108	114,3	133
EN 1092-1 typ 11/B1		ceníková	55	64	76	87	118	142	181	238	316	316	431
alt. DIN 2634													
Materiál: C22.8/ P250GH													
		připojení	DN 125	DN 150	DN 150	DN 200	DN 250	DN 300					
			139,7	159	168,3	219,1	273	323,9					
		ceníková	431	581	581	1079	2159	3647					



Příruba závitová			DN 15	DN 20	DN 25	DN 32	DN 40	DN 50	DN 65	DN 80	DN 100		
PN 16		připojení	1/2"	3/4"	1"	5/4"	6/4"	2"	2 1/2"	3"	4"		
DIN 2566		ceníková	102	118	126	147	155	161	178	227	278		
alt. DIN 2635													
Materiál: C22.8/ P250GH													

2014 brutto ceník základního sortimentu



Příruba plochá		DN 15	DN 20	DN 25	DN 32	DN 40	DN 50	DN 65	DN 80	DN 100	DN 100	DN 125
PN 6	připojení	21,3	26,9	33,7	42,4	48,3	60,3	76,1	88,9	108	114,3	133
EN 1092-1 typ 01/B1	ceníková	63	72	84	95	97	103	124	163	189	189	287
alt. ČSN 13 1222.0												
Materiál: C22.8/ P250GH												
		DN 125	DN 150	DN 150	DN 200	DN 250	DN 300					
	připojení	139,7	159	168,3	219,1	273	323,9					
	ceníková	287	383	383	548	821	1358					



Příruba plochá		DN 15	DN 20	DN 25	DN 32	DN 40	DN 50	DN 65	DN 80	DN 100	DN 100	DN 125
PN 16	připojení	21,3	26,9	33,7	42,4	48,3	60,3	76,1	88,9	108	114,3	133
EN 1092-1 typ 01/B1	ceníková	59	83	89	99	114	147	159	210	277	277	362
alt. ČSN 13 1224.0												
Materiál: C22.8/ P250GH												
		DN 125	DN 150	DN 150	DN 200	DN 250	DN 300					
	připojení	139,7	159	168,3	219,1	273	323,9					
	ceníková	364	457	457	778	808	1366					



Příruba zaslepovací		DN 15	DN 20	DN 25	DN 32	DN 40	DN 50	DN 65	DN 80	DN 100	DN 125	DN 150
PN 6	ceníková	69	82	95	117	133	147	184	225	288	395	520
EN 1092-1 typ 05/B1												
Materiál: C22.8/ P250GH												
		DN 200	DN 250	DN 300								
	ceníková	752	1188	1785								



Příruba zaslepovací		DN 15	DN 20	DN 25	DN 32	DN 40	DN 50	DN 65	DN 80	DN 100	DN 125	DN 150
PN 16	ceníková	75	90	103	124	144	167	208	276	294	452	600
EN 1092-1 typ 05/B1												
Materiál: C22.8/ P250GH												
		DN 200	DN 250	DN 300								
	ceníková	988	1395	2313								



Příruba zaslepovací PN 40 EN 1092-1 typ 05/B1 Materiál: C22.8/ P250GH		DN 15	DN 20	DN 25	DN 32	DN 40	DN 50	DN 65	DN 80	DN 100	DN 125	DN 150
	ceníková	79	98	112	140	167	179	229	285	393	536	847
		DN 200	DN 250	DN 300								
	ceníková	1855	3021	4147								



Onlout trubkový typ A-3D-90° EN 10253-2 Materiál: S235		DN 15	DN 20	DN 25	DN 32	DN 40	DN 40	DN 50	DN 50	DN 65	DN 80	DN 100
	připojení	21,3x2	26,9x2,3	33,7x2,6	42,4x2,6	44,5x2,6	48,3x2,6	57x2,9	60,3x2,9	76,1x2,9	88,9x3,2	108x3,6
	ceníková	6,8	8,4	10,8	15,9	19,8	20,7	30,5	31,7	46,7	72,0	122,7
		DN 100	DN 125	DN 125	DN 150	DN 150	DN 200	DN 250	DN 300			
	připojení	114,3x3,6	133x4	139,7x4	159x4,5	168,3x4,5	219,1x6,3	273x7,1	323,9x7,1			
	ceníková	126,7	210,7	224,0	326,7	340,0	853,3	1300,0	1880,0			